



MC 80 WX Programmable data input systems



Description

The compact MC-WX keyboards are ergonomically designed programmable data input systems, comprising an integrated magnetic stripe reader (MSR) and additional modular functions.

Flexibility

- 80 free-programmable key positions
- Key exchange technique
- Single, double and multiple keys

Reliability

- More than 30 million keystrokes for each position
- Front of keypad is protected against dust and splashing water
- Single and multiple keys with equal actuating force

Options

- 3 track magnetic stripe reader
- 5 position keylock with 3 keys
- Colored keys
- Customized labelling of keys
- OPOS and Java POS drivers
- Glidepad

PrehKeyTec GmbH is a leading manufacturer of advanced data input systems on the global market. Their product range comprises modular standard keyboards which are primarily characterized by their high degree of flexibility and their extreme reliability, making them the ideal option for professional applications.

MC 80 WX Technical Data

Key electronic

- Flash-Memory USB free programmable
- OPOS- Java POS driver
- Numeric layout (5 x 16 matrix)

Size

- 335 mm x 182 mm (W x D)

Features

- Modular design requiring minimum space
- All key positions are free-programmable
- Menu-driven programmer software
- DOS, Linux and Windows compatibility
- Integrated pen tray
- Housing in black (similar to RAL 9011) or white (similar to RAL 9002)
- Linkage socket

Stray radiation

CE Approval EN55022, FCC Subpart 15, Class A Electrostatic discharge immunity according to EN 6100-4-2, resistance limit 12 kV (air discharge). Radiated, radio-frequency electromagnetic field immunity, severity of test 10 V/m.


Extensions:

Magnetic stripe reader

- Card can be swiped in both directions
- Reads track 1, 2 and 3 according ISO 7810 and 7811
- Additional configurations: AAMVA, CADL
- Parameter configurable by WinProgrammer (Header and Terminator)
- More than 500,000 read cycles

Specials

- 5 position keylock with 3 keys
- Glidepad
- PS/2 Schnittstelle



Technical data are subjekt to change 10/09 HP